Exercise Series N° 1

Exercise 1:

- 1) List the different units of pressure and provide the relationships between these units.
- 2) Convert 350 mmHg to bar, Pa, and atm.
- 3) State the different temperature scales and provide the relationships between these scales.
- 4) Convert: 25°C and -100°C to °F, 0°F to °C and K, 0 K to °C and °F.
- 5) Calculate the value of the ideal gas constant R in L.atm.mol⁻¹.K⁻¹, J.mol⁻¹.K⁻¹, and cal.mol⁻¹.K⁻¹, knowing that one mole of an ideal gas occupies a volume of 22.4 L at a pressure of 1 atm and a temperature of 0°C.

Exercise 2:

An ideal gas initially in an equilibrium state characterized by P_1 =2 atm and V_1 =2L undergoes an isothermal expansion until P_2 =0.5 atm. What is the volume of the final state?

Exercise 3:

A mass of nitrogen (assumed to be an ideal gas) occupies a volume of 20L at 20°C. It is heated under constant pressure (isobaric process). What volume does it occupy at 120°C?

Exercise 4:

A quantity of air, assumed to be an ideal gas (M=29g/mol), is under a pressure of 10 bars and a temperature of 5°C, contained in a closed and perfectly rigid chamber with a capacity of 5L. Determine the gas pressure at 80°C and the volumic mass in both equilibrium states.

Exercise 5:

The analysis of a 100g sample of air collected at sea level yields the following results: N₂: 75.52%, O₂: 23.15%, Ar: 1.28%, CO₂: 0.046%.

- 1) Calculate the number of moles of each gas present in this sample.
- 2) Calculate the mole fraction as well as the partial pressure of each gas.

<u>Data:</u> $P_t = 1$ atm. N(14), O(16), Ar(40), C(12).


Exercise 6:

A closed, perfectly rigid horizontal cylinder is divided into two compartments, C_1 and C_2 , by a partition. At the initial state, compartment C_1 contains 10 moles of oxygen (O_2) at temperature T_1 =27°C and pressure P_1 =2 atm, and compartment C_2 contains 20 moles of nitrogen (N_2) at temperature T_2 =127°C and pressure P_2 =3 atm. The partition is removed, and the equilibrium temperature of the mixture T_m reaches 90°C. Assuming both gases are ideal, determine:

- 1) The pressure of the mixture.
- 2) The partial pressure of O_2 and N_2 .
- 3) The volumic mass of the mixture.
- 4) The density of the mixture.

Data: N: 14g/mol, O: 16g/mol





Initial state

Final state